



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.**Crete, IL Laboratory**

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 888-314-0719 Fax. 312-729-1320

Email: getresults-east@mxns.com

COA No:	CHG-49894432-0
Supersedes:	CHG-49838451-0
COA Date	11/7/25
Page 1 of 1	

COPY TO:

To. Summer Li

QA Supervisor

NNB Nutrition

No 270 Jiqingmen St., Rm 2105, Bldg E6

Nanjing, F34 210017

ORIGINAL TO:

Ms. Jane Hao

Quality Manager

NNB Nutrition

Room 2105, Building E06 Suning Huigu

Nanjing, F34 210036

Received From:

Nanjing, F34

Received Date:

10/22/25

Location of Test: (except where noted)

Crete, IL

Analytical Results**Laboratory ID:** 446392146**Condition Rec'd:** NORMAL**Temp Rec'd (°C):** .**Desc. 1:**

High Purity Creatine Monohydrate

Desc. 2:

HPCM2025091401

Sample Comment:

Dicyandiamide LOD 0.4 mg/kg LOQ 1.25 mg/kg ; Dihydrotriazine LOD 0.6 mg/kg LOQ 1.7 mg/kg ;

Creatinine LOD 3.5 mg/kg LOQ 10 mg/kg

Analyte**Result Units****Method Reference****Test Date Loc.**

Creatine Impurities

USP - Creatine

11/7/25 SXI

Dicyandiamide

<0.4 mg/kg

Dihydrotriazine

<0.6 mg/kg

Creatinine

<3.5 mg/kg

-

- -

† The following test result (s) have been added at the request of the client: Creatine Impurities

Kern Storo

Sr. Laboratory Director

Noted Test Locations: SXI-Merieux Nutrisciences, Building 7, China Enzyme City, Economic & Technolo, Weinan City, Shaanxi 714019

I Customer supplied information

* ISO17025 Accredited Analysis

† Indicates reason for COA amendment when applicable

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.